





Mechanical Pipette H-Series (Single Channel)




Bustle series adjustable dosage liquid injector Technical advantages:

- The syringe plunger is precisely ground and sorted, ensuring strong sealing, high accuracy, and minimal repeat error, which saves time and costs in experiments;
- The volume scale is clear; simply move the scale rod to the desired position to dispense a standard volume of liquid;
- The upgraded design feels lighter, allowing single-hand operation and reducing operator fatigue;
- The main body is made of high-borosilicate glass and inert resin, resistant to acids, bases, and salty corrosive liquids;
- It can withstand high-temperature and high-pressure sterilization up to 120°C/250°F:
- The internal structure is detachable, resulting in low maintenance and repair costs:
- The unique design of the scale rod allows it to retract into the bottle, occupying minimal space;














Mechanical Pipette H-Series















Name	Article number	Bottle capacity	Adjustable liquid addition	Tolerance	Remark
	240101000	500ml	0.1-1ml	±0.02	According to
Bustleseries	240105000	500ml	0.5-5ml	±0.04	the size
Adjustable dosing	240110000	500ml	1-10ml	±0.06	marked on
device	240101000L	1000ml	0.1-1ml	±0.02	the dowel
White bottle version	240105000L	1000ml	0.5-5ml	±0.04	bar Measuring
	240110000L	1000ml	1-10ml	±0.06	mark
	BR240101000	500ml	0.1-1ml	±0.02	Push lever
Bustleseries	BR240105000	500ml	0.5-5ml	±0.04	The above
Adjustable dosing	BR240110000	500ml	1-10ml	±0.06	marked
device	BR240101000L	1000ml	0.1-1ml	±0.02	capacity
Brown bottle version	BR240105000L	1000ml	0.5-5ml	±0.04	Measuring
	BR240110000L	1000ml	1-10ml	±0.06	mark

Contact Us





Phone: +86 188 2709 1392

Email:chemicals_trading@126.com

Address: Rm 305, Building

Tengjundebiyiyuan,

No.1658 Gumei Road, Xuhui

District, Shanghai

www.scichrolab.com